

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13	inverse routing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 13:50
S2	0	(inverse routing) near5 decrypt\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 14:02
S3	0	(inverse routing) same decrypt\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 14:02
S4	0	(inverse routing) and decrypt\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 14:03
S5	0	(inverse routing) and decrypt\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 14:04
S6	16	( hidden or hide or hiding) near5 (routing information)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:08
S7	29	( hidden or hide or hiding) near20 (routing information)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:14
S8	87	(( hidden or hide or hiding) near7 (rout\$4)). ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:37
S9	16	S8 and add\$4.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:37

S10	6	S8 and (add or added or added or adds).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:38
S11	36	(( hidden or hide or hiding) near7 (rout\$4)) same (add or added or added or adds)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:41
S12	7	S11 and ("713".ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:41
S13	1892	(hid\$5 or stegan\$9 or (water\$1mark\$4) or watermark\$4) near9 rout\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:44
S14	258	(hid\$5 or stegan\$9 or (water\$1mark\$4) or watermark\$4) near9 (rout\$4 adj4 (data or information or packet or frame))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:45
S15	20	S14.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:45
S16	18	S15 not S9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:45
S17	1398	(( hidden or hide or hiding) near7 (data or information or number)) same (add or added or added or adds)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:53
S18	93	S17.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:53

S19	8	S18 and ((add or added or added or adds) near4 value).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:54
S20	70	(( hidden or hide or hiding) near7 (data or information or number)) same ((add or added or added or adds) near4 value)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:58
S21	62	S20 not S19	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:59
S22	12	S21 and "713"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 16:59
S23	0	S13 same subtract\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 17:07
S24	13	S13 same subtract\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 17:07
S25	118	(hid\$5 or stegan\$9 or (water\$1mark\$4) or watermark\$4) near9 ((route or routing) adj4 (data or information or packet or frame))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 17:08
S26	10	S25 and "713"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 17:09
S27	11	S25 same (add or added or added or adds or subtract\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 17:21

S28	2	"20030204728".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:21
S29	0	"20030204728".did. and encrypt\$5 and hide value and header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:24
S30	0	"20030204728".did. and encrypt\$5 and hideand value and header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:24
S31	1	"20030204728".did. and encrypt\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:24
S32	1	"20030204728".did. and encrypt\$5 and hid \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:25
S33	1	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:26
S34	0	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and headerand value	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:27
S35	1	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and header and value	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:27
S36	0	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and header and value and special and cryptogra \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:29
S37	1	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and header and value and special and cryptogra \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:29

S38	1	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and header and value and special and cryptogra \$5 and least	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:30
S39	1	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and header and value and special and cryptogra \$5 and least and transmit\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:32
S40	1	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and header and value and special and cryptogra \$5 and least and transmit\$5 and key\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:32
S41	0	decryp\$5 near20 reverse routing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:35
S42	0	decryp\$5 near20 (reverse routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:35
S43	0	decryp\$5 same (reverse routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:36
S44	59156	decryp\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:36
S45	1	decryp\$5 same (revers \$5 routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:37
S46	168	decryp\$5 same ( routing information)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:38

S47	50	decryp\$5 near20 ( routing information)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:38
S48	49	decryp\$5 near20 ( routing information) and encrypt\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:43
S49	20	decryp\$5 near20 ( routing information) and encrypt\$5 and hid \$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:48
S50	2	"5850449".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 06:59
S51	4	steganograph\$6 near20 (routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 07:25
S52	6	steganograph\$6 same (routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 07:28
S53	1235	(steganograph\$6 or hid \$5 )same (routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 07:29
S54	0	(add vlaue)near20 (steganograph\$6 or hid \$5 )near20 (routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 07:30
S55	0	(add vlaue) near20 (steganograph\$6 or hid \$5 )near20 (routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 07:30
S56	0	(add vlaue) near20 (steganograph\$6 or hid \$5 )same (routing)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 07:30

S57	1	"20030204728".did. and encrypt\$5 and hid \$5 and extrac\$5 and header and value and special and cryptogra \$5 and least and transmit\$5 and key\$5 and extract\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 08:57
S58	2	"20040152469".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:17
S59	1	"20040152469".did. and (record route)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:18
S60	1	"20040152469".did. and (record route)and (service route) and ((session initiation protocol) or sip)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:19
S61	0	"20040152469".did. and (record route)and (service route) and ((session initiation protocol) or sip)and topolo\$7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:37
S62	0	"20040152469".did. and (record route)and (service route) and ((session initiation protocol) or sip)and topology	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:38
S63	55	(topology hiding)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:39
S64	1	(topology hiding) near5 (routing )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:39
S65	12	(topology hiding) near20 (data or information or packet or header)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:41

S66	26	(topology hiding)same (data or information or packet or header)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:44
S67	26	(topology hiding)same (data or information or packet or header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:49
S68	17	(topology hiding)same (data or information or packet or header) and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:51
S69	23	(topology near5 hiding) same(data or information or packet or header) and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:55
S70	23	(topology near5 hiding) same(data or information or packet or header) and sip and user and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:56
S71	21	(topology near5 hiding) same(data or information or packet or header) and sip and user and network and (ID or identif\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 09:57
S72	2	(topology near5 hiding) same (user and network and (ID or identif\$7))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:02
S73	1	(topology near10 hiding) same (user near10(ID or identif \$7))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:04



S74	10	(topology near5 hiding) near20(data or information or packet or header) and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:05
S75	10	(topology near5 hiding) near20(data or information or packet or header) and sip and topology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:08
S76	19	(topology near5 hiding) near20(data or information or packet or header) and topology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:09
S77	18	(topology near5 hiding) near20(data or information or packet or header) and topology and (user or administrator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:11
S78	45	(topolog\$5 near5 hid \$5)near20(data or information or packet or header) and topology and (user or administrator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:17
S79	10	((topolog\$5 near5 hid \$5)near20(data or information or packet or header)) and (user ) near5 (ID or identity or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:21
S80	5	((topolog\$5 near5 hid \$5)near20(data or information or packet or header)) and (user ) near5 (ID or identity or identification)and (call near5 session)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:49
S81	5	((topolog\$5 near5 hid \$5)near20(data or information or packet or header)) and (user ) near5 (ID or identity or identification)and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:51

S82	12	((topolog\$5 near5 hid \$5)near20(data or information or packet or header) and topology and (user or administrator)and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 10:51
S83	2	"7120792".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 12:02
S84	305	((distributed Coordination Function Interframe Spaces) or DIFS) near20 ((back off) or backoff)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:17
S85	77	S84 and @ay< "2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:17
S86	66	S84 and @ay< "2003" and station and priority and priori\$7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:19
S87	66	S84 and @ay< "2003" and station and priority and priori\$7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:22
S88	52	S84 and @ay< "2003" and station and priority and priori\$7 and (class or group)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:24
S89	0	S84 and @ay< "2003" and station and priority and priori\$7 and (class or group)an ((medium access control) or mac)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:30
S90	51	S84 and @ay< "2003" and station and priority and priori\$7 and (class or group)and ((medi\$5 access control) or mac)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:31

S91	51	S84 and @ay< "2003" and station and priority and priori\$7 and (class or group)and ((medi\$5 access control) or mac) and order	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:34
S92	305	((distributed Coordination Function Interframe Spaces) or DIFS) near20 ((back off) or backoff or bkoff)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:36
S93	51	S91 and S92	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:38
S94	42	S91 and S92 and backoff	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:39
S95	39	S91 and S92 and backoff and (assign\$6 or allocat\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 18:42
S96	2	"7095754".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/01 11:34
S97	1	"7095754".pn. and ( backoff near20 adjust \$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/01 11:35
S98	1	"7095754".pn. and ( priorit\$5 near20 order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/01 11:40
S99	0	"7095754".pn. and (decreas\$5 near20 order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/01 11:43

S100	1	"7095754".pn. and (decreas\$5 same order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/01 11:43
S101	2	"7095754".pn. and (priorit\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/01 11:44

12/ 8/ 2008 5:38:11 AM

C:\ Documents and Settings\doveissi\ My Documents\ EAST\ Workspaces\ 10801584-VER3.wsp